

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XI. A Description of the several Strata of Earth, Stone, Coal, &c. found in a Coal-Pit at the West End of Dudley in Staffordshire: By Mr. Fettiplace Bellers, F. R. S. To which is added, a Table of the Specifick Gravity of each Stratum: By Mr. Fr. Hauksbee, F. R. S. Communicated by Dr. Hans Sloane, R. S. Secr.

I. A Yellowish Clay, which lyes immediately under the Turf.

11. A Blewish Clay.

III. A Blewish hard Clay; the Miners calt it Clunch. This is one of the certain Signs of Coal. It has in it Mineral Plants.

IV. A Blewish soft Clay.

V. A fine-grained Gray Stone: It lyes next the former, and is found in some Pits only.

VI. A Clay almost like the First, only whiter.

VII. A hard Gray Rock; with something like the Impressions of Vegetables, but none distinct.

VIII. A Blew Clunch, like Numb. 2. with Mineral

Plants in it.

VIII. +. This Stratum (which is the same with Numb. 13.) was not taken.

IX. Coal, called Bench-Coal.

X. Coal, less black and shining than the former, called Slipper-Coal.

XI. Coal, more black and shining, called Spin-Coal. XII. A Coal like Cannal-Coal, by the Miners called Stone Coal. These Strata of Coal have between each of them a Bat, of about the thickness of a Crown Piece.

XIII. A black Substance, called the Dun-Row-Bat.

XIV. A hard grey Iron Oar, called the Dun-Row Iron-Stone.

XV. A blewish Bat, in which the following Iron. Stone

lyes, called the White-Row.

XVI. A hard blackish Iron Oar, lying in small Nodules, having between them a white Substance; and from thence by the Miners called the White-Row-Grains, or Iron Stone.

XVII. A hard grey Iron Oar, with some white spots

in it, called the Mid-row Grains.

XVIII. A black fissile Substance, called the Gublin-

XIX. A hard blackish Iron Oar, with white spots in it, called the Gublin Iron-Stone.

XX. A Bat, in Substance much like that of Numb.

XVIII.

XXI. A hard grey Iron Oar, called the Cannoc, or Cannot-Iron-Stone.

XXII. A Bat, somewhat harder than Numb. XX.

XXIII. A dark, gray, hard Iron Oar, called the Rubble Iron-Stone.

XXIV. The Table-Bat, next under the Rubble Iron-Stone.

XXV. A coarse fort of Coal, called the Foot Coal.

XXVI. A black, brittle, shining Bat.

XXVII. The Heathen-Coal.

XXVIII. A Substance like a coarse Coal, but by the Miners called a Bat; perhaps because it does not burn well.

XXIX. The Bench-Coal.

XXX. A Bat under the last, and is as low (viz. 1882) Feet) as they generally dig, tho' there is a coarse Coal under this.

N. B. Those Substances, which divide the Strata of Coals and Iron Oars from each other, are called Bats by the Miners: They are generally black, consisting of a Matter peculiar to themselves, and are of a Texture nearest like Marle; tho' some of them are sissile, and others have a Substance not unlike Coal mixt with them.

A Table of the Thickness of each Stratum, and its Propertion to Water, or Specifick Gravity.

Number of			Proportion to		Or Specifick
the Strata.		tratum.	Water,		Gravity.
I.	i .	Inches.	as 385 to	100	as 200 to 100
	4	0		-40 1	
II.	5	0	296	168	176
III.	24	0	23	9	256
IV.	9	0	209	106	197
V .	4	0	583	237	246
VI.	21	0	401	192	209
VII.	75	٥ ٠	683	259	243
VIII.	5	Q	223	88	253
VIII+.	1	0			
IX.	3	0	7	5	140
\mathbf{X}_{\bullet}	3	Q.	106	72	147
XĮ.	4	0	147	114	129
XII.	4	0	185	143	130
XIII.	I	O.	408	198	206
XIV.	0	3	204	67	303
XV.	0	3	183	72	254
XVI.	1	3	325	232	334
XVII	0	2	781	244	320
					Number

(544)

Number of the Strata.	Thickness of seach Stratum. Feet. Inches.		Proportion to Water,		Or Specifick Gravity.
XVIII.	2	O O	as 305 to	129	as 236 to 100
XIX.	0	9	920	266	346
XX.	I	9	192	76	253
XXI.	0	6	675	2162	313
XXII.	1	0	428	165	290
XXIII.	0	6	828	231	358
XXIV.	2	0	333	153	218
XXV.	1	0	1 198	154	128
XXVI.	6	O	238	141	169
XXVII.	6	0	298	$236\frac{1}{2}$	126
XXVIII.	0	I	267	186	144
XXIX.	2	0	314	240	131
XXX.	0	6	244	133	183

By which it is evident, that the Gravities of the several Strata are in no manner of Order; but purely casual, as if mixt by chance.